DTTC FILE CURY



A A A A A A A TOP PA	OCUME	NTATION P	PAGE	
AD-A196 445 TIC		MA.		
LE JECUNITY CLASSIFICATION AUTHORITY	1	DISTRIBUTION /	AVAILAB DISTRIBUTION STATEMENT A	
NA AUG U 1 90 2b. DECLASSIFICATION / DOWNGRADING THEOULE NA			Approved for public release Distribution Unlimited	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) 5.		S. MONITORING ORGANIZATION REPORT NUMBER(S)		
University of California, Los Angeles		NA		
6a. NAME OF PERFORMING ORGANIZATION 6b. OFFICE		a. NAME OF MO	NITORING ORGANIZATION	
University of California (If app	olicable)	Office of	f Naval Research	
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (City, State, and ZIP Code)		
Department of Microbiology 5304 LS Los Angeles, CA 90024			incy Street , VA 22217-5000	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research ONR	SYMBOL 9. licable)	PROCUREMENT N00014-86	INSTRUMENT IDENTIFICATION NUMBER -K-0193	
8c. ADDRESS (City, State, and ZIP Code)		10 SOURCE OF FUNDING NUMBERS		
800 N. Quincy Street Arlington, VA 22217-5000		ROGRAM ELEMENT NO.	PROJECT TASK WORK UNIT ACCESSION NO RR04106 NR441dco2	
11. TITLE (Include Security Classification)				
(4) Gene Regulation of Methanogenesis form Acetate in the Acetotrophic Methane producing Archaebacteria. 12. PERSONAL AUTHOR(S)				
Gunsalus, Robert, Philip				
13a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT 5. PAGE CO				
16. SUPPLEMENTARY NOTATION				
Progress				
17. COSATI CODES 18. SUBJ	ECT TERMS (Con	ntinue on reverse	if necessary and identify by block number)	
FIELD GROUP SUB-GROUP				
19. ABSTRACT (Continue on reverse if necessary and identify by block number)				
The research objectives of the project were to develop genetic and molecular techniques that will permit the detection, isolation, and				
cloning of genes that are regulated during acetate catabolism in the				
methanosarcina. These methods should provide a basis for examining the				
regulation of acetate utilization by the methanogenic Methanosarcina.				
We have concentrated on three areas in the second year of the				
contract: 1) refining plating techniques and selecting for auxotrophic mutants of <u>Methanosarcina</u> spp., 2) characterizing plasmid(s) from				
Methanosarcina spp.; 3) creating gene libraries of Methanosarcina spp.				
genomic DNA,; 4) creating oligonucleotide and antibody probes to probe				
the chromosomal library for acetoclastic genes.				
A				
I -16		21. ABSTRACT SE	CURITY CLASSIFICATION	
		226 TELEPHONE	(Include Area Code) 22c. OFFICE SYMBOL	
Dr. E.D. Schmell (202) 696-4760 ONR				
DD EOOM 1472 GAMAD 83 ASS entrop may be used until synapsted				

88 (97 013

PROGRESS REPORT

PROGRESS REPORT ON CONTRACT: N00014-86-K-0193 R&T CODE 441d002

DATE: 25 June 1988

PRINCIPLE INVESTIGATOR: Dr. Robert P. Gunsalus

CONTRACTOR: UCLA

CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR DECEMBER OF CONTRACTOR

CONTRACT TITLE: Gene Regulation of Methanogenesis from Acetate in the

Acetotrophic Methane-Producing Archaebacteria.

START DATE: 1 April 1986

PERIOD OF PERFORMANCE: 7/1/87 - 6/30/88

RESEARCH OBJECTIVE: The goals of our research were to characterize the regulation of genes which are involved in acetate catabolism by the acetotrophic archaebacteria. Our approach was to develop basic techniques for studying molecular biology and genetics of Methanosarcina spp. by developing plating techniques for mutant selection, screening the Methanosarcina for plasmids to be used as gene shuttle vectors, then combining these methods to develop an effective transformation system. Genes from Methanosarcina spp. were then be cloned and characterized by conventional methods in Escherichia coli vectors. The long term goal is to reintroduce these genes into Methanosarcina by transformation to study their regulation. Techniques developed in this study will facilitate other studies involving the other acetate and methylotrophic methanogenic archaebacteria.

PROGRESS: Progress during the past year have been in three areas of research. A description of each follows.

A. Cell Plating of the acetate utilizing methane bacteria. In the second year of the project cell plating techniques were refined for the acetotroph Methanosarcina thermophila. We developed a procedure to grow this species as colony clones from single cells, a necessary requisite for genetic studies, in contrast to the multicellular aggregates typical of other species. Using the general approach devised by Bertani and Baresi for the hydrogen oxidizing methanogen Methanococcus voltae, we developed a technique for growing M. thermopnila at 50-90% efficiency of viable counts. We also demonstrated that colonies could be effectively replica plated. We have subsequently been able to grow all species of Methanosarcina as single cells instead of as cell aggregates. We refined the plating techniques to obtain high efficiency for growth of these other species on solid medium. Mutagenesis of M. thermophila by UV irradiation has been studied in order to generate reproducible kill curves The goal is to project was to generate mutants of this strain that are defective for the use of one or more of the methanogenic substrates.

- B. Characterization of Plasmids from the Methanosarcina spp. first year of the project we reported the screening of twelve strains of acetotrophic and methylotrophic methanogens for plasmid DNA. Plasmid was detected in three species of marine Methanosarcina and plasmid from one of these species, M. acetivorans, was described in detail (see publication # 2). A procedure was developed for the large scale purification of this plasmid. We have completed the characterization of the plasmid and a manuscript is in press (J. Bacteriol.). The plasmid is the first to be isolated from an acetotrophic methanogen. It has several properties that make it potentially useful for construction of a shuttle vector for genetic purposes. It's relatively small size (5.1 kb) makes it useful for generating a shuttle vector for eventual gene transfer experiments. It has several unique restriction sites (EcoRI, BglII, SmaI, and PstI) that are useful for this purpose. Insertion of pC2A into pBR322 will allow us to amplify the plasmid in E. coli for subsequent characterization.
- Isolation of Chromosomal DNA from M. thermophila: The preparation of large molecular weight DNA from the methanosarcina has been a major technical barrier to performing gene cloning experiments in these species because the harsh mechanical methods needed to rupture the cells also shear the nucleic acids. In our last progress report we reported a technique to obtain intact DNA from Methanosarcina acetivorans. We have since discovered that all the Methanosarcina spp. in our culture collection can be adapted to grow in media that contain marine salt concentrations. Concomitant with this adaption, strains ceased to grow as multicellular aggregates and exist solely as single cells. These cells lack the typical heteropolysaccharide outer layer which make them susceptible to gentle lysis with detergent. We have isolated large molecular weight DNA from M. thermophila, Methanosarcina barkeri, Methanosarcina mazei, and Methanosarcina strain The development of this technique has accelerated our progress in the project because we are no longer restricted to working with the marine species M. acetivorans as proposed in the original contract. Using DNA from M. thermophila, we have generated genomic libraries for subsequent gene cloning experiments.

ARCHINECTOR ACCORDED TO THE TOTAL CONTROL OF THE TO

We have made significant progress in cloning genes from DNA libraries of the M. thermophila strain as originally planned. Using CO dehydrogenase enzyme from M. thermophila provided by J.G. Ferry (VPI) we have proceeded to generate antibody probes as well as oligonucleotide probes to screen gene libraries and have isolated a number of positive clones for the genes of this enzyme. Characterization of these clones is in progress.

CONCLUSIONS: The following goals have been achieved in the course of this project.

1. Techniques were developed for efficiently growing all Methanosarcina spp. on solid medium. A major limitation for conducting genetics on the Methanosarcina was eliminated by the discovery of medium conditions that would induce cell aggregates

to grow as single cells, a condition necessary for performing genetic studies. Conditions for obtaining mutants for genetic studies were defined.

- Acetotrophic methanogens were screened for plasmids. Three strains were found to contain plasmids. One of these, designated pC2A, was characterized and found to have properties that should make it useful for construction of a shuttle vector.
- 3. Techniques were developed to obtain intact large molecular weight DNA from Methanosarcina spp. Gene libraries were constructed for two species and oligonucleotide and antisera probes for regulated genes were produced. Portions of the CO dehydrogenase genes were cloned. The procedure for growing M. thermophila as single cells has been published and another manuscript, describing the ability to do this with all other Methanosarcina species, is in preparation.

INVENTIONS: There are no inventions resulting from this contract.

PUBLICATIONS AND REPORTS

Published Articles:

AND LES COURT VERTIFICATION DESCRIPTION OF CONTROL OF FRANCES OF CONTROL OF C

- Sowers, K.R. and R.P. Gunsalus. 1988. Adaptation for growth at various saline concentrations by the archaebacterium <u>Methanosarcina thermophila</u>. J. Bacteriol. <u>170</u>:998-1002.
- Sowers, K.R., and R.P. Gunsalus. 1988. Plasmid DNA from the acetotrophic methanogen <u>Methanosarcina acetivorans</u>. J. Bacteriol. (in press).

Manuscripts in Preparation: The following papers are in preparation and are the result of studies carried out during the last year of the Contract.

- 3. Gunsalus, R. P., S. Sahota, K.S. Sowers, and J. Boone. 1988. Single cell plating of the <u>Methanosarcina spp</u>. (in preparation)
- 4. Sowers, K.R., and R.P. Gunsalus. 1988. Interconversion between clumped and single cell growth in the <u>Methanosarcina</u> <u>spp</u>. (in preparation).

Abstracts and Research Presentations:

- Sowers, K.R. and R.P. Gunsalus. 1987. Ultrastructure of unicellular forms of <u>Methanosarcina</u>. Gordon Research Conference: Molecular Aspects of Methanogenesis, New Hampton.
- 2. Sowers, K.R. and R.P. Gunsalus. 1987. A unicellular phenotype exhibited by <u>Methanosarcina thermophila</u>. West Coast Bacterial

የመብራ-መመብራት መመመራር እና እንደ የተመረር እና የሚያስፈርር እና እና እና እና እር እር እር እር እር እር እር

Physiologists Conference, Asilomar.

- 3. Sowers, K.R. and R.P. Gunsalus. 1988. Adaptation for growth at various saline concentrations by Methanosarcina spp. Abstr. Ann. Mtg. Amer. Soc. Microbiol., I22, p. 18
- 4. Gunsalus, R.P., and K.R. Sowers. 1988. Genetics and Molecular Biology of the Acetate Utilizing Methanobacteria. Woods Hole Oceanographic Institution and the Marine Biological Laboratories. Woods Hole, MA. June 27, 1988.


TRAINING ACTIVITIES:

Second Consisted Viprocects (Viprocects) Consisted Consisted Viprocects (Viprocects) Viprocects (Viprocects)

Dr. Kevin Sowers, a Postdoctoral Fellow, was supported in part by this contract. He was responsible for the plasmid screening and characterization, chromosomal DNA isolation, gene library construction, and the gene cloning work.

Dr. Surinder Sahota, a Postdoctoral Fellow, was also involved in these studies. He was trained in the anaerobic cell plating aspects of the project and performed much of the cell plating experiments.

Women or minorities - 1 Non-citizens - 1 (citizen of England)



*የአለያቸቸውን የሚ*ፈርፈው እናቸው የኢትዮጵያ አስተዋለ ነው እናቸው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው የሚፈርፈው